

Kodak


i2900 Scanner

Powerful, compact, and ready to take on anything.



Propel your productivity.

The **Kodak i2900 Scanner** is a robust rotary A4 desktop scanner with an ingenious book-edge flatbed scanner built right in. It features a 250-sheet feeder/elevator and consistently high throughput speed, even when imaging double-sided and color documents at up to 300 dpi. Add in Intelligent Document Protection, as well as Perfect Page technology and Smart Touch functionality, and you've got a fiercely powerful scanner in a remarkably compact package.



Smaller footprint, bigger impact.

A robust design that takes up less space but can still take on heavy-duty scanning challenges.



Give productivity a lift.

With a 250-sheet feeder/elevator you can neatly and efficiently scan large or small batches of mixed-size documents with ease.



Flatbed at your fingertips.

Our integrated book-edge A4 flatbed scanner is designed to handle all kinds of exception documents. So book pages, passports, folders, fragile documents and more are simply no match for the **Kodak i2900**.



An exit strategy for long documents.

Our selectable rear-exit paper path is ideal for longer or thicker documents that can be an unexpected challenge for traditional rotary scanners.



Upgrade your uptime.

With Intelligent Document Protection you can scan confidently, knowing that each document is safeguarded from the potential of damage during feeding.



Total control with a touch.

Smart Touch functionality streamlines repetitive tasks, simplifies information sharing, and makes your scanning life easier.



Better than ever.

Our Perfect Page technology optimizes image quality for data extraction and intelligently handles image-processing tasks — delivering extended functionality to many applications.



Protect your investment.

Ensure the optimal operation of your equipment and software with **Kodak Essential Productivity Services** and **Kodak Advanced Proficiency Services**. Our array of service offerings helps maximize efficiency and value in your business.

Kodak i2900 Scanner

Technical specifications

Recommended Daily Volume	ADF: Up to 10,000 pages per day / Integrated A4 size flatbed: 100 pages per day
Throughput Speeds (portrait, letter/A4 size, black and white/grayscale/color)	Up to 60 ppm/120 ipm at 200 dpi and 300 dpi (Throughput speeds may vary depending on your choice of driver, application software, operating system, and PC.)
Flatbed Support	Integrated A4 size flatbed scanner (book-edge); available Kodak A3 Size Flatbed Accessory (book-edge)
Scanning Technology (ADF)	Dual CCD; Grayscale output bit depth is 256 levels (8-bit); color capture bit depth is 48 bits (16 x 3); color output bit depth is 24 bits (8 x 3)
Illumination	Dual LED
Operator Control Panel	Graphical LCD display with four operator control buttons
Optical Resolution	600 dpi
Output Resolution	100 / 150 / 200 / 240 / 300 / 400 / 500 / 600 / 1200 dpi
Max. / Min. Document Width	Auto-feed: 215 mm (8.5 in.) / 63.5 mm (2.5 in.) / Hand-feed: 215 mm (8.5 in.) / 50 mm (2 in.)
Max. / Min. Document Length	Auto-feed: 863.6 mm (34 in.) / 63.5 mm (2.5 in.) / Hand-feed: 863.6 mm (34 in.) / 50 mm (2 in.) (rear exit only) Long document mode: 4.1 meters (160 in.) maximum length
Paper Thickness and Weight	34-413 g/m ² (9-110 lb.) paper
Feeder/Elevator	Up to 250 sheets of 80 g/m ² (20 lb.) paper
Paper Path Options	Documents can exit into the front output tray, or at the rear of the scanner if the straight-through paper path option is manually selected
Document Sensing	Ultrasonic multi-feed detection; Intelligent Document Protection
Connectivity	USB 2.0, USB 3.0 compatible
Software Support	Bundled TWAIN , ISIS , and WIA drivers; Kodak Capture Pro Software Limited Edition; Smart Touch (Linux SANE and TWAIN drivers available from www.kodakalaris.com/go/scanonlinux); Kofax certified. Fully supported by Kodak Capture Pro Software and Kodak Asset Management Software
Imaging Features	Perfect Page Scanning; iThresholding; adaptive threshold processing; deskew; autocrop; relative cropping; aggressive cropping; electronic color dropout; dual stream scanning; interactive color, brightness and contrast adjustment; automatic orientation; automatic color detection; intelligent background color smoothing; intelligent image edge fill; image merge; content-based blank page detection; streak filtering; image hole fill; sharpness filter; auto brightness
File Format Outputs	Single and multi-page TIFF, JPEG, RTF, BMP, PDF, searchable PDF
Warranty (US and Canada)	Three years (Advanced Unit Replacement)
Accessories (Optional)	Kodak A3 Size Flatbed Accessory; document imprinting accessory (rear-side, post-scan imprinting of up to 40 alphanumeric characters, with nine imprinting positions)
Electrical Requirements	100-240 V (International); 50-60 Hz
Power Consumption	Off mode: <0.5 watts; Running: <75 watts; Sleep mode: <4.5 watts
Environmental Factors	Energy Star qualified scanners Operating temperature: 15-35° C (59-95° F) / Operating humidity: 15% to 80% RH
Acoustical Noise (operator position sound pressure level)	Off or Ready mode: <30 dB(A) Operating mode: <60 dB(A)
Recommended PC Configuration	Intel Core i7 , 3.4 GHz or higher, 4 GB RAM or more
Supported Operating Systems	Windows XP SP3 (32-bit and 64-bit), Windows Vista SP2 (32-bit and 64-bit), Windows 7 SP1 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Ubuntu 12.04 (LTS)
Approvals and Product Certifications	AS/NZS CISPR 22:2009 + A1:2010 Class B (C-Tick Mark), CAN/CSA-C22.2 No. 60950-1-07 (C-UL Mark), Canada ICES-003 Issue 5 (Class B), GB4943.1:2011, GB9254:2008 (Class B), GB 17625.1:2003 Harmonics (CCC "S&E" Mark), EN 55022:2010 ITE Emissions (Class B), EN 61000-3-3 Flicker, EN 55024:2010 ITE Immunity (CE Mark), EN 60950-1:2006 + A11, A12, A1 (TUV GS Mark), IEC 60950-1, CISPR 22:2008 (Class B), VCCI V3/2012.04 (Class B), CNS 13438:2006 (Class B), CNS 14336-1 (BSMI Mark), UL 60950-1:07 (UL Mark), CFR 47 Part 15 Subpart B (FCC Class B), Argentina S-Mark
Consumables Available	Roller cleaning pads, Staticide wipes, consumables kit (includes feed module, separation module, separation pad, front transport rollers)
Dimensions	Weight: 15.8 kg (35 lbs.) Depth: 371 mm (14.6 in.) with input tray closed Width: 431.8 mm (17 in.) Height: 237.5 mm (9.4 in.)

Kodak Alaris' Document Imaging solutions enable customers to capture and consolidate data from digital and paper sources, understand and extract valuable insight from the contents, and deliver the right information to the right people at the right time. Our offerings include award-winning scanners, capture and information management software, an expanding range of professional services and industry-leading service and support. With customers ranging from small offices to global operations, Kodak Alaris delivers superior systems and solutions to automate business processes, enhance customer interactions and enable better business decisions.



To learn more:

www.kodakalaris.com/go/i2900

Kodak Alaris Inc., 2400 Mt. Read Blvd., Rochester, NY 14615 1-800-944-6171

Kodak Alaris Operations Canada Inc., Mississauga, Ontario, Canada L5R 1B9 1-800-944-6171

© 2014 Kodak Alaris Inc. Kodak Alaris will be the Company's trade name for its global business. The Kodak trademark and trade dress are used under license from Eastman Kodak Company.

DI-5856 CAT No. 154 5151 Printed in USA 3/14

Kodak alaris