Alaris E1000 Series Scanners

Scan. Send. Done.

Powerful, compact scanners speed
information capture, access, and archiving

Eliminate paper and transform your business processes

Capture information from paper and send to wherever you need. Alaris E1000 Series Scanners are compact, efficient, accurate, and reliable to help you do more with your information.

Scan. Send. Done.

Too much paper slows work and cuts into productivity and customer satisfaction. With an Alaris E1000 Series Scanner, you capture all the important information from it, then send, save, and access it digitally.

- Scan with ease, thanks to intuitive controls and simplified set-up
- Capture information immediately with "instant on" technology
- Save space with compact units that are quiet and simple to use
- Scan almost everything – differing paper sizes and weights, even ID and hard cards
- Send documents to the right places and people instantly, empowering information access for everyone

Technology simplified and amplified

E1000 Series Scanners fit perfectly into businesses, home offices, workgroups, and reception areas. And they integrate smoothly with your existing applications and environment, from network to Cloud. Each model delivers great technology benefits to boost efficiency.

- Make images look even better than originals and get crisp, clear scans with Optical Character Recognition (OCR) using Perfect Page technology

- Scan and send information with one-button simplicity via Alaris Smart Touch technology (available as a free download)
- Read barcode information and quickly send information to applications

Be productive today and ready to scale up for tomorrow – E1000 Series Scanners work with many business apps you use.

Peace of mind and protection

When you scan one-of-a-kind originals, you'll know they're safeguarded through our Intelligent Document Protection, multi-feed detection, and smooth, proven paper path. It's reliable scanning that's virtually jam-free.

- Your scanner is protected with our one-year warranty
- We offer industry leading service and support, plus an array of flexible, customizable service plans to follow your original warranty

1. Easy to use numeric display enables one-touch scanning of up to 9 different jobs.

2. Scan documents quickly with models capturing -
   E1025: upto 25 pages per minute - capable of tackling 3,000 pages a day;
   E1035: upto 35 pages per minute - capable of tackling 4,000 pages a day.

3. Smart Touch functionality allows you to scan documents to a file location, common cloud services, email, networked office printer, fax, and third-party applications.

4. Fits nicely anywhere with approachable, compact design.

5. Scan passports, small, thick or fragile documents with optional Alaris Passport or Integrated A4/Legal Size Flatbed Accessory.

6. Scan more documents at once with largest feeder capacity in its class.

7. Multiple driver compatibility: TWAIN, ISIS, and Linux.

Insurance agency gains advantages of digital workflow with Alaris E1000 Series Scanners

As paperwork arrives at an insurance agency, it's scanned by a receptionist on an Alaris E1000 Series Scanners and sent to the appropriate CSR's (Customer Service Representative's) electronic document in-box. Each CSR reviews and manages their documents as digital files. They assign each document to a template, that's part of the agency's document management system, which links it to the correct policy.

Now the agency knows exactly when each document arrived, what was done with it, by whom, and when. When a CSR is out, it's much easier to locate documents than in the previous, physical filing cabinet system, as the document management system quickly transfers files between in boxes with a click.

Benefits include time, space, and storage cost savings; fewer misplaced documents; ability to find any file quickly; and faster customer response times. Customer service is also enhanced, as the receptionist can quickly scan and return documents to those who visit the office in person.

Alaris IN2 Ecosystem

E1000 Series Scanners deliver the –

- **Right Fit**: Solutions to fit your business and personal goals, environment, and budget

- **Right Experience**: Solutions that simplify your life and work — from purchase through operation and ownership

- **Right Results**: Solutions that deliver superior value through fast, accurate, reliable information capture

To learn more about the Alaris IN2 Ecosystem, go to

www.alarisin2.com

Alaris E1000 Series Scanners deliver big results.

Be productive, right out of the box.

Alaris E1000 Series Scanners

Features	Alaris E1025	Alaris E1035
Throughput Speeds*	Black-and-white/grayscale/color: up to 25 ppm/50 ipm at 200 and 300 dpi	Black-and-white/grayscale/color: up to 35 ppm/70 ipm at 200 and 300 dpi
Recommended Daily Volume	Upto 3000 pages per day	Up to 4,000 pages per day
Software Options	Alaris Info Input Solution, Alaris Capture Pro Software and Asset Management Software. (WINDOWS only)	
Recommended PC Configuration	Minimum PC configuration with Smart Touch: Intel Core i3 processor or faster, at least 4 GB RAM (Microsoft Windows) Minimum Terminal PC / Citrix Receiver configuration for scanning only: Any 1 GHz processor or faster, at least 2 GB RAM	
Max./Min. Document Size**	216 mm x 356 mm (8.5 x 14 in.) / 52 mm x 52 mm (2.08 in. x 2.05 in.) Long document mode: 216 mm x 3,000 mm (8.5 in. x 118 in.)	
Paper Thickness and Weight	27-200 g/m² (7.2 - 110 lb.) paper; ID card thickness: up to 1.4mm (0.05 in.)	
Feeder	Up to 80 sheets of 80 g/m² (20 lb.) paper Handles small documents such as A8, ID cards, embossed hard cards, and insurance cards (portrait and landscape orientations)	
Document Sensing	Multifeed with ultrasonic technology, Intelligent Document Protection	
Connectivity	USB 2.0 High Speed (cable included) - USB 3.0 compatible	
Bundled Software	(WINDOWS only), WINDOWS Bundled software: TWAIN, ISIS, WIA Drivers; Alaris Smart Touch or Alaris Capture Pro Limited Edition (via web download), LINUX (TWAIN and SANE) drivers (through web download), KOFAX certified	
Supported Operating Systems	WINDOWS 7 SP1 (32 Bit and 64 Bit), WINDOWS 8.1 (32 Bit and 64 Bit), WINDOWS 10 (32 Bit and 64 Bit) WINDOWS SERVER 2012 X64 Editions, WINDOWS SERVER 2016 X64 Editions LINUX UBUNTU 14.04/16.04, SUSE 13.2, Citrix Certified	
File Format Outputs	Single and multi-page TIFF, JPEG, RTF, BMP, PDF, searchable PDF, TXT, PNG, CSV, Word and Excel	
Optical Resolution	600 dpi	
Output Resolution	75 / 100 / 150 / 200 / 240 / 250 / 260 / 300 / 400 / 500 / 600 / 1200 dpi	
Illumination	Single RGB LEDs	
Image Sensor	Dual CIS (CMOS); Grayscale output bit depth is 256 levels (8-bit); color output bit depth is 24 bits (8 x 3)	
Imaging Features	Barcode reading; Perfect Page Scanning; iThresholding; adaptive threshold processing; deskew; autocrop; relative cropping; fixed crop; add/ remove border; electronic color dropout; dual stream scanning; enhanced color management; enhanced color adjustment; brightness and contrast adjustment; automatic orientation; automatic color detection; background color smoothing; intelligent image edge fill; image merge; content-based blank page detection; streak filtering; round/rectangular hole fill; sharpness filter; auto brightness; auto white balance; all-color dropout; multi-color dropout; long document scanning (up to 3000 mm/118 in.)	
Operator Control Panel	1.5-inch 7 segment LED	
Power Consumption	Off: < 0.5 watts; Sleep mode: < 3.0 watts; Running: <36 watts	
Environmental Factors	EPEAT Registered ENERGY STAR Qualified Operating Temperature: 10-35° C (50-95° F) Operating Humidity: 15% to 80% RH	
Electrical Requirements	100-240 V (International); 50-60 Hz	
Flatbed Connectivity	Flatbeds plug into host PC; Auto scan from Passport Flatbed after ADF scan	
Accessories (optional)	Alaris E1000 Series Feed Roller Kit, Alaris E1000 Series Stacking Deflector Accessory Alaris A4/Legal Flatbed, Alaris Passport Flatbed	
Limited Warranty	1 Year	
Certifications	AS/NZS CISPR 32 (Class B RCM mark), CAN / CSA – C22.2 No 60950-1 (TUV C mark), Canada CSA-CISPR 32 / ICES-003 (Class B), China GB4943.1; GB9254 Class B (CCC S&E mark), EN55032 ITE Emissions (Class B), EN55024 ITE Immunity (CE mark), EN60950-1 (TUV GS mark), IEC60950-1:2005, IEC62368-1:2014, Taiwan CNS 13438 (Class B); CNS 14336-1 (BSMI mark), UL 60950-1 (TUV US mark), CFR 47 Part 15 (FCC Class B)	
Dimensions and Weight	Weight: 3.3 kg (7.2 lbs.) Depth: 204 mm (8.0 in.), not including input tray and output tray; Width: 312 mm (12.3 in.) Height: 182.5 mm (7.2 in.), not including input tray; Depth with Input Tray: 269 mm (10.6 in.); Height with Input Tray: 231.6 mm (9.1 in.);	

Disclaimers:

* Throughput speed may vary depending on your choice of driver application software, operating system, PC and selected image processing features.

** The maximum document size supported by the scanner will vary based on the output image resolution and image compression used.

Contact us:
Kodak Alaris Australia Pty. Ltd.
Toll free No: 1300 ALARIS (1300 252 747)
Email: askme@kodakalaris.com

For Contract and Warranty/Extended warranty customers only
https://support.alarisworld.com/en-au#ServiceRequest